2. Tenders should be submitted along with printed specification form which may be obtained from the Executive Engineer on payment of Re. 0-4-0.

3. Each tender must be accompanied by a challan for having credited into the Treasury, a deposit amount of Rs. 750 (Rupees Seven hundred and fifty only) under '17 (*a*) P. W. Deposits' and be superscribed "Tender for constructing R. C. C. tank of 100,000 gallons capacity near the New Mental Hospital, Bangalore City," in default of which tenders will be rejected.

4. The final acceptance of any tender will rest with the Executive Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

5. Within eight days of the acceptance of tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

6. The name of the successful competitor, whose tender has been accepted will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

7. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

8. Rates once tendered will not be enhanced on any account.

8. Rates for non-tendered and non-estimated items shall be those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

10. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurement, quality of work, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

Specifications.

(1) There is at present a circular tank 15′ diameter and 10′ high. A new tank 40′ diameter and 15′ high is to be built concentric with this small existing tank and completely enclosing the same. This is on the ground surface.

(2) The tank should be of R.C.C. and the following factors shall be taken into consideration in the design to be adopted :—

(*a*) Tensile strength of the steel bar—12,000 lbs.
(*b*) While calculating for the circular side walls full bursting pressure shall be considered.
(*c*) The proportion of mixture for all portions except the roof shall be 1 : 1½ : 3 and for the roofing it shall be 1 : 2 : 4.

(3) Suitable dust-proof ventilators should be provided for in the roofing.

(4) The roofing shall be flat with two man-hole covers each 3′ × 3′ complete with mild steel lids with hinges, hasp and stable suitable for locking.

(5) One water level indicator complete with float, gauge board, pointer, flexible wire, guide pulleys, etc., shall be included in the tender.

(6) The outer surface of the side wall should be finished with cream coloured cement.

(7) *Nature of foundation.*—Gravel mixed boulders.

(8) All the pipe fittings will be supplied by the Department.

(9) A small parapet to the tank of suitable design should be provided for in the tender.

(10) No lumpsum quotations will be considered. Plans and estimate with detail drawings showing various reinforcements should accompany the tender. The estimate should give the quantities, rates and cost of each item. Any variation in the quantity will be paid for at the rates as per the detail estimate.

(11) Non-tendered items of work will be paid for after working out the data with not more than 10 per cent profit for the contractor.

(12) Cement to be used should be purchased through the Department.

M. K. NARASIMHA IYER,
Executive Engineer.

KADUR DIVISION.

Abstract Notification dated 16th March 1940.

The attention of the public is invited to the notification published on pages 492—498, Part VI of the *Mysore Gazette*, dated 7th March 1940, calling for tenders for the work of constructing Dispensary Buildings at Bukkambudi, Tarikere Taluk.

The last date of receipt of tender in this office is extended to 3 P.M. on 2nd April 1940, instead of 16th March 1940, as notified in the original notification.

M. A. RAMANUJAM,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS.

DEPARTMENT OF AGRICULTURE.

OFFICE OF THE AGRICULTURAL ENGINEER, BANGALORE.

Notification No. 11 *of* 1939-40, *dated 12th March* 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Agricultural Engineer, up to 2 P.M. on 6th April 1940 for constructing a Tobacco Curing Barn on the Hebbal Farm.

2. An approximate estimate of quantities for each of the above works is given below separately. The quantities are not guaranteed. The works should be completed within one month from the date of acceptance of the tender.

3. Earnest money of Rs. 70 in cash should be remitted under Revenue Deposits, at the State Huzur Treasury, Bangalore, with a chellan duly filled in by the tenderer. The tender should be superscribed "Tender for the construction of a Tobacco Curing Barn on Hebbal Farm." The tenders will be opened at 2-30 P.M. on the 1st April 1940.

4. Subject to the formal sanction of the Director of Agriculture, the acceptance of the tender rests with the Agricultural Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatsoever for the rejection of any tender.

5. Within a week of the acceptance of the tender, the successful tenderer will be requested to furnish a cash security of 5 per cent of the value of the work and to execute the usual contract bond, in default of which his tender will be considered as cancelled, and the security deposit forfeited.

6. The name of the successful competitor whose tender has been accepted will be notified in due course.

7. After the acceptance of successful tender, the earnest money deposited on the refused tenders will be arranged to be returned to the parties.

8. Rates once tendered will, on no account, be enhanced.

9. Quotations must be written in words as well as in figures.

10. The measurements checked by the Agricultural Engineer will have to be accepted as final.

Statement showing the approximate quantities or works.

No.	Items of work	Per	Quantity
1	Earthwork excavation for foundation and filling in basement including watering and tamping	C.yd.	16
2	Concrete stone jelly in lime mortar	C.ft.	182
3	Size stone in clay	,,	266
4	Burnt stone slabs 6″ thick roughly dressed and fixed in clay	S.ft.	194
5	Burnt brick in clay for superstructure	C.ft.	1,265
6	Burnt brick in mortar	,,	81
7	Stone pillars roughly dressed 4″ thick with groove cutting in top	S.ft.	27
8	Teak wood doors with hinges, etc., complete	,,	28
9	Teak wood windows with sliding shutters	,,	38
10	Teak wood glazed windows	,,	11
11	Rough plastering with mortar 2 coats and whitewashing	,,	12
12	Iron trusse for a span of 16′	Each	2
13	Roofing with corrugated galvanised sheet 24 guage over angle iron purlins	Sqr.	6·1
14	Ridge capping	R.ft.	19
15	Holding down bolts for roof	Each	16
16	Flooring with gravel on well rammed earth	Sqr.	2·6
17	Filling basement with earth, watering and well rammed	C.ft.	152
18	Mathi wood wrought and put up	,,	11·2
19	Mortar band 1¼′ thick including cornice	R.ft.	42
20	Cement concrete bund over verandah roof	,,	19
21	Silicate painting	Sqr.	3·0
22	Wood oiling and tarring	L. S.	..
23	Mud plastering with cowdung wash	Sqr.	11·5
24	Providing and fixing ridge ventilators, arrangement according to specification	Each	1
25	Furnace with all part complete	,,	1
26	Fixing furnace with brick walls and fire brick walling	L. S.	..
27	Flue pipes including wind pipe to the specified length	Each	119
28	Cement pointing	Sqr.	·7
29	Providing and fixing round Casuarina poles 5″ to 6″ including tarring the portion going into the ground	R.ft.	450
30	Clearing site	L. S.	..

Notification No. 12 *of* 1939-40, *dated* 15*th March* 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Agricultural Engineer up to 2 P.M. on 1st April 1940 for raising the roof of the Marino Sheep Pen on the Hebbal Farm.

2. An approximate estimate of quantities for each of the above works is given below separately. The quantities are not guaranteed. The works should be completed within one month from the date of acceptance of the tender.

3. Earnest money of Rs. 40 cash should be remitted under Revenue Deposits, at the State Hauzur Treasury, Bangalore, with a chellan duly filled in by the tenderer. The tender should be superscribed " Tender for raising the roof of the Marino Sheep Pen on Hebbal Farm." The tenders will be opened at 2-30 P.M. on the 29th March 1940.

4. Subject to the formal sanction of the Director of Agriculture, the acceptance of the tender rests with the Agricultural Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatsoever for the rejection of any tender.

5. Within a week of the acceptance of the tender, the successful tenderer will be requested to furnish a cash security of 5 per cent of the value of the work and to execute the usual contract bond, in default of which his tender will be considered as cancelled and the security deposit forfeited.

6. The name of the successful competitor whose tender has been accepted will be notified in due course.

7. After the acceptance of successful tender, the earnest money deposited on the refused tenders will be arranged to be returned to the parties.

8. Rates once tendered will, on no account, be enhanced.

9. Quotations must be written in words as well as in figures.

10. The measurements checked by the Agricultural Engineer will have to be accepted as final.

Statement showing the approximate quantities or works.

No.	Items of work	Per	Quantity
1	Removing the existing roofing and wood work	L. S.	.
2	Burnt brick in mortar	C.ft.	143
3	Plastering with chunam	S.ft.	3·5
4	Teak wood wrought and put up	C.ft.	66·73
5	Roofing with Mangalore tiles (Departmental supply) on Teak wood reepers, fresh tiles wherever necessary	Sqr.	13·5
6	Ridge tiles set in mortar (Department tiles)	R.ft.	56
7	Enclosure with wire netting on Teak wood frame	S.ft.	288
8	Wood oiling	Sqr.	8·7
9	Repairs to gate	L. S.	..
10	Repairs to flooring and patch plastering with cement	L. S.	..
11	Mortar band on roof	R.ft.	48
12	Cement concrete bed 3" thick and plastered with cement	,,	112

M. G. SINGARACHAR,
Agricultural Engineer.

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE DEPUTY CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Notification No. G. N. 26, *dated* 18*th March* 1940.

To

All Hardware Firms.

M. S. ANGLES AND BOLTS AND NUTS.

GENTLEMEN,

Sealed tenders will be received in the Office of the Chief Electrical Engineer in Mysore, Bangalore, for the supply of the following materials up to 12 NOON on 2nd April 1940 and the tenders should be superscribed "Tenders to be opened at 12 NOON on 2nd April 1940."

1. M. S. Angels $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times \frac{1}{4}''$ in standard lengths of 20 feet .. 429 Lengths
2. M. S. Angles $3'' \times 3'' \times \frac{1}{4}''$ in lengths of 14 feet .. .. .. 40 ,,